



Lathe machine 180x300 mm

Description

Metal lathe, LTC 300 DR Vario is equipped with a speed display and infinitely variable speed. CE equipped.

Metal lathe comes standard with:

Three jaw 80mm

Four jaw 100mm

Chip tray and rear screen< br>Long-feed

4-turn chisel holder

Fixed and moving goggles

Separate emergency stop

Accessory box with change wheels, fixed centers, oil sprayer etc.

RAL 5018 & RAL 7004

Optional:

Frame

quick-change tool holder

Extra information

Item number	15431	
Model	LTC DR 300 Vario-2	
EAN	8718242560085	
CBS Statistics number	84581900	
Article group	HUVEMA Webshop Machines & Equipment	
Brand	Huvema	
Features	Swing over bed	180 mm
	Distance between centres	300 mm
	Hole through spindle	21 mm
	Engine power	0,6 kW
	Digital readout	No
	Tail stock taper	MT2
	Tailstock spindle travel	60 mm
	Threading metric	0,3-3 mm
	Threading whitworth	10-44 TPI
	Swing over cross slide	110 mm
	Cross travel support	100 mm
	Speed range	50-2500 rpm
	Top slide travel	55 mm
	Longitudinal feed	0,083-0,159 mm/rev
	Voltage	230 V
	Machine dimensions	70 x 45 x 37 cm
	Weight	55 kg
Taper of main spindle	MT3	
Packaging dimensions	82 x 47 x 46 cm	

Article group code

1805036

Product images

