



Lathe machine 280x660 mm

Description

Lathes for small turning jobs. Both the spindle and the guideways are adjustable.
Suited for threading. Supplied with stand.

Properties:

induction hardened and ground guideways
with change gear set for thread cutting
self centering 3 jaw chuck 125mm
independent 4 jaw chuck 160mm
follow and steady rest
2 centers
faceplate
tool holder

Extra information

Item number	15417
Model	HU 660 C-2
EAN	8718242138772
CBS Statistics number	84581900
Article group	HUVEMA Machines Retail
Brand	Huvema

Features

Swing over bed	280 mm
Distance between centres	660 mm
Hole through spindle	26 mm
Engine power	0,75 kW
Swing over cross slide	182 mm
Center height	140 mm
Width of bed	155 mm
Number of revs	6
Speed range	125 - 2000 rpm
Spindle nose	DIN 6350
Taper of main spindle	MT4
Movement tail stock taper	65 mm
Tail stock taper	MT3
Diameter tail stock taper	32 mm
Cross travel support	145 mm
Top slide travel	95 mm
Threading metric	0.25 - 3.5 mm
Threading inch	8 - 72 TPI
Longitudinal feed	0.063 - 3.5 mm
Voltage	230 V
Weight	150 kg
Machine dimensions	1300 x 600 x 1250 mm
Packaging dimensions	1430 x 750 x 670 mm

Article group code

953985

Product images

