



# Lathe machine 330x1000 mm with digital readout

## Description

### Product description

The Huvema PROFI series of lathes is a series of professional lathes from Huvema. Easy to operate, complete in one purchase, solid and affordable, that is what characterizes the Huvema PROFI series. PROFI lathes are the ideal workshop lathes when production is not a necessity. Naturally, PROFI lathes comply with the latest CE directives, all to ensure safe working.

The HU 1010 BNG lathe is developed with a precision ground and induction hardened bed, as well as the gears. Gear lubrication in oil bath. The operation is very user friendly, for both small and large sizes. In addition, the machine comes complete with 3-jaw chuck, 4-jaw chuck, a travelling and fixed steady, digital readout and cooling. This metal lathe is compact, but has a large capacity and a considerable bore of no less than 52 mm. The separate head is 5 mm adjustable for conical turning and suitable for left-right turning. This lathe is equipped with a SINO digital readout. This makes this lathe suitable for various work.

Despite these features, the HU 1010 BNG lathe is priced so competitively that this machine from the PROFI series is still a perfect match for many workshops, schools and small industries.

### Product information

- Self-centering 3-jaw chuck
- Independent 4-jaw chuck
- Adjusting plate
- Fixed steady
- Travelling steady
- Digital display (SINO)
- 4-way holder for turning chisels
- Worklight
- Protective covers
- Cooling
- Machine maintenance tool kit
- 2-stage motor

### Optional:

- Other chucks
- Sets quick-change chisel holder

- Turning center
- Turning tools
- Drill head
- Oil

**The PROFI lathes are available in various models in terms of size and power. Please contact us if you can't find a suitable machine in our standard (stock) range. Our specialists will be happy to help you find the most suitable machine for your application.**



## Extra information

---

Item number	15670
Model	HU 1010 BNG-4 DRO
EAN	8718242080637
CBS Statistics number	84581900
Article group	HUVEMA Machines Retail
Brand	Huvema

## Features

Swing over bed	330 mm
Distance between centres	1000 mm
Hole through spindle	52 mm
Engine power	1,5 kW
Center height	165 mm
Swing in gap	476 mm
Width of bed	180 mm
Number of revs	8
Speed range	70 - 2000 rpm
Spindle nose	D1-5 / CAMLOCK
Taper of main spindle	MT4
Movement tail stock taper	95 mm
Tail stock taper	MT3
Diameter tail stock taper	32 mm
Cross travel support	160 mm
Top slide travel	68 mm
Threading metric	0.4 - 3 mm
Threading inch	56 - 4 TPI
Longitudinal feed	0.02 - 2.7 mm
Cross feed range	56 - 4 mm
Voltage	400 V
Weight	600 kg
Machine dimensions	1800 x 650 x 1400 mm
Packaging dimensions	1850 x 670 x 1500 mm

Article group code

684750

# Product images

